



The **RECLOSER** Specialists

# Recloser Parts Catalog

Call Free: 800-977-9301 • [info@powercoresupply.com](mailto:info@powercoresupply.com) • Fax: 618-664-0772 • [powercoresupply.com](http://powercoresupply.com)



# POWERCORE

## Recloser Counters

Re-engineered Stronger Better

Re-engineered for greater durability, reliability, and ease of installation.

### Durability:



Engineering and manufacturing tolerance so precise it can withstand 20,000 trips and the expansion and contraction of extreme temperatures.

Frozen for three days at a bone chilling -100 degrees below 0 and still recorded reliable trips.

Baked to extreme heat of 175 degrees and still recorded reliable trips.

### Stronger:



Newly designed and stronger mounting base for ease of installation.

Made with a better grade plastic

### Better:



We redesigned and increased from a single to a double locking mechanism, assuring all numbers line up perfectly every time.

Tighter seal keeps moisture out.

Call Free: 800-977-9301 • [info@powercoresupply.com](mailto:info@powercoresupply.com) • Fax: 618-664-0772 • [powercoresupply.com](http://powercoresupply.com)


POWERCORE

# Recloser Counters


PowerCore's three models covers over 25 different Reclosers  
That's Powercore's knowledge at work for you.



**MC-180**



**MC-160**




**MC-360**

---

<b>L</b> ... ALL	<b>E</b> ... Below SN# 52007	<b>R</b> ... Above SN# 3733
<b>V4L</b> ... ALL	... To SN# 16571	<b>RV</b> ... ALL
<b>E</b> ... Above SN# 52007	<b>6H</b> ... Above SN# 2652	<b>RX</b> ... ALL
<b>4E</b> ... ALL	<b>V6H</b> ... ALL	<b>W</b> ... ALL
<b>V4E</b> ... ALL	<b>3H</b> ... Above SN# 10060	<b>WV</b> ... ALL
<b>H</b> ... Above SN# 100974	<b>VRV</b> ... ALL	<b>VW</b> ... ALL
<b>4H</b> ... SN# 13355	<b>GV</b> ... ALL	<b>VWV</b> ... ALL
<b>V4H</b> ... ALL	<b>GW</b> ... ALL	<b>D</b> ... ALL
<b>VXE</b> ... ALL	<b>GWC</b> ... ALL	<b>DV</b> ... ALL
	<b>VR</b> ... ALL	
	<b>VCR</b> ... ALL	
	<b>VLR</b> ... ALL	

**Counters for All Models: Lexington - GE - Multi-Amp**



Lexington - GE - Multi-Amp

PCore# MC-560

Call Free: 800-977-9301 • [info@powercoresupply.com](mailto:info@powercoresupply.com) • Fax: 618-664-0772 • [powercoresupply.com](http://powercoresupply.com)

# Recloser Contacts




Type **4H & 6H**

Movable Contacts

OEM# KA25H4

PCore# 4H-MC

---



Type **4H & 6H**

Stationary Contacts  
Exhaust

OEM# KA27H4

PCore# 4H-SCE

---



Type **4H & 6H**

Stationary Contacts  
Generator

OEM# KA26H4

PCore# 4H-SCG

---



Type **L**

Moveable Contacts

OEM# KA32L

PCore# L-MC

---



Type **L**

Stationary Contact  
Shoes

OEM# KA68L900S

PCore# L-SC

(2 shoes to each pair. 2 pairs required per Recloser.)



Type **E**                      Movable Contacts

OEM# KA182E      PCore# MC-ES

Above SN# 52000

---



Type **E**                      Movable Contacts

OEM# KA139E1      PCore# MC-EL

SN# 13000 to SN# 52000

---



Type **E**                      Stationary Contacts  
(SET)

OEM# KA95E

PCore# E-STC

2 sets required per Recloser

---



Type **4E**                      Movable Contact

OEM# KA112E4      PCore# 4E-MC